

New York Certified Seed Potatoes 2015 Crop Directory

Table of Contents

Seed Potato Certification in New York.....	1
The Uihlein Farm of Cornell University.....	3
Potato Varieties Certified in 2013.....	4
Grower Info and Varieties Grown.....	11
Cornell Uihlein Potato Farm Personnel.....	12
Variety/Grower/Classification/Acres.....	13
NY Seed Potato Certification Personnel.....	23

New York Seed Improvement Project
103C Leland Lab
Cornell University
Ithaca, NY 14853
607 - 255-9869 Telephone
607 - 255-9048 FAX

**SEED POTATO CERTIFICATION
IN NEW YORK**

The primary objectives of seed potato certification are to maintain and make available to the public dependable sources of top quality seed. The New York Certification program, which originated in 1913, represents a voluntary agreement between the seed grower and the certifying agency. The NYS College of Agriculture & Life Sciences (CALs) at Cornell University, designated by the Commissioner of Agriculture as the official seed certifying agency in the state of New York, works in cooperation with the NYS Department of Agriculture & Markets in carrying out the objectives of seed certification. Seed growers are members of the NY Seed Improvement Cooperative, Inc. Program administration and record keeping are conducted by the New York Seed Improvement Project in CALs' Plant Breeding and Genetics Department.

The New York Certification program is a limited generation program with two classes of certified seed, "Foundation" and "Certified". The data listed in this directory represent seed potato acreage *entered* for certification this year. In order to be eligible for sale as certified seed, seed potatoes must meet the minimum requirements described in the standards for seed potato certification (1 NYCRR Parts 106 and 107). These requirements include:


- Use of pretested and approved seed stocks.
- A minimum of 2 field inspections.
- A bin inspection of tubers after harvest.
- A winter test.
- A Federal-State shipping point inspection to ensure conformity with New York certified seed grades.

Only seed meeting all of the requirements for certification and bearing official tags or certificates issued by the certification agency may be represented for sale as "Foundation" or "Certified" seed.

<u>TOLERANCES FOR CERTIFIED SEED *</u>			
<u>Factor</u>	<u>Summer</u>	<u>Winter Test</u>	
		<u>F</u>	<u>C</u>
Leaf roll.....	1.0	0.5	5.0
Mosaic	1.0	0.5	5.0
Spindle Tuber.....	0.1	0.5	5.0
Total Virus and Spindle Tuber.....	2.0	0.5	5.0
Fusarium and Verticillium Wilt	5.0	--	--
Varietal Mixture.....	0.25	0.25	0.25
Ring Rot	0.0	0.0	0.0

*Seed lots passing inspection in New York do not exceed the tolerances listed based on visual inspections. Seed lots are classified as Foundation (F) or Certified (C) based on winter test results.

The seed classes designated by generation (G) of production on a seed grower's farm are shown below.



* U = Uihlein Farm source noted for first 3 generations;

** Other sources will be designated by appropriate field generation depending upon source. ALL sources must originate from pathogen-tested, tissue culture sources and be G5 or higher seed class to be eligible for entry at planting. All seed lots must be winter tested.

Bacterial ring rot has NOT been detected in any seed lot of any seed grower since 1987.

-- DISCLAIMER OF WARRANTY --

The New York Seed Improvement Project, the New York State College of Agriculture and Life Sciences of Cornell University, and the New York State Department of Agriculture and Markets make no expressed or implied warranties or representations as to the freedom from disease or to the quality or quantity of the crop produced from certified seed, including merchantability or fitness for a particular purpose. The only representation is that the seed potatoes were produced and inspected under the seed potato certification rules and regulations of the State of New York (1 NYCRR Parts 106 and 107).

THE UIHLEIN FARM OF CORNELL UNIVERSITY

The Uihlein Farm of Cornell University, the official seed potato farm in New York State, is located at an elevation of 2,100 feet in the scenic Adirondack Mountains, approximately 2 miles south of the village of Lake Placid. This well-isolated farm consists of approximately 175 tillable acres. It was donated to Cornell University in the fall of 1961 by Mr. and Mrs. Henry Uihlein II of Heaven Hill Farm, Lake Placid, for the express purpose of producing basic potato seed stocks for the New York potato industry.

In 1977, the Uihleins provided the funds to construct the Henry Uihlein II Laboratory, a facility consisting of a laboratory and an adjoining 125-foot greenhouse. This facility is used to develop disease-free nuclear seed stocks of commercial varieties along with selections from Cornell and other State or Federal potato breeding programs through pathogen-testing of seed originating from tissue cultured plantlets. Plantlets grown in test tubes are thoroughly screened for disease-causing microorganisms including bacteria, fungi, numerous viruses and the potato spindle tuber viroid.

All planting stocks produced on the Uihlein Farm originate from pathogen-tested tissue culture materials. These plantlets are transplanted to pots in the greenhouse or directly to soil for tuber production, and the resultant progeny are used to produce basic planting stocks for the New York seed potato industry. Over one hundred potato varieties are maintained in the Uihlein Farm tissue culture collection, with more than 80 varieties produced under contract. The New York Seed Improvement Cooperative's Potato Certification Committee serves in an advisory capacity in determining the policies regarding potato varieties and the production and allocation of Uihlein seed.

POTATO VARIETIES & SELECTIONS ENTERED FOR CERTIFICATION IN 2015

06-363	Goldrush	NY151
105/2/W/06	HZC07-6040	Olympus
13 KAG08	Juliette	Peter Wilcox
Actrice	Katahdin	Purple Pelisse
Adirondack Blue	Kennebec	Purple Peruvian
Adirondack Red	Keuka Gold	Reba
All Blue	King Harry	Red Duck
AmaRosa	La Ratte	Red LaSoda#10
Amey	Lamoka	Red Maria
Andover	Lehigh	Red Pontiac
Austrian Crescent	Magic Molly	Red Sunset
Banana	Marcy	Red Thumb
Bettina	Maybell	Redsen
Butte	Merlot	Salem
Carola	Modoc	Satina
Cascade	NorDonna	Sebago
Castile	Norland	Sifra
Chieftain	NY79	Snowden
Chippewa	NY118	Soraya
Daisy Gold	NY136	Superior
Dakota Ruby	NY140	US Blue
Electra	NY141	W2978-3
Eva	NY148	Waneta
French Fingerling	NY149	Yukon Gem
Genesee	NY150	Yukon Gold

VARIETY/SELECTION DESCRIPTIONS

Adirondack Blue. Early to mid-season specialty tablestock. Tubers have dark purple skin and purple flesh. Scab susceptible, Cornell University.

Adirondack Red. Specialty tablestock. Tubers are long with reddish-purple skin and red flesh. Susceptible to silver scurf. Scab reaction similar to Atlantic, Cornell University.

All Blue. Medium to late season, specialty tablestock. Tubers oblong, shallow eyes, blue purple skin, and deep purple flesh, small to medium size, heavy set and excellent yield. Resistances and susceptibilities unknown.

AmaRosa. Mid-season fingerling potato with red skin and red flesh. Tubers are smooth with well distributed, shallow eyes. Very high culinary quality; ideal for microwaving, frying or baking. Retains color when chipped. Can skin during harvest. Brown center and hollow heart are rare. Medium storage capability and medium to high fertility requirements. Susceptible to Metribuzin. PVP applied for Certificate #201100297, State of Oregon.

Amey. Late maturity, white-fleshed russet. Tubers oblong, occasionally long. Excellent baking quality, potential processor. Resistant to race A of the golden nematode, Verticillium wilt, powdery scab, and common scab. Susceptible to potato leafroll virus, late blight, and early blight.

Amey. Late maturity, white-fleshed russet. Tubers oblong, occasionally long. Excellent baking quality, potential processor. Resistant to race A of the golden nematode, Verticillium wilt, powdery scab, and common scab. Susceptible to potato leafroll virus, late blight, and early blight.

Andover. Early season tablestock and chipping variety. Tubers spherical with slightly textured skin. Good cooking qualities and specific gravity. Excellent chip color from 45° storage. Relatively free from internal defects. Resistant to scab and golden nematode.

Austrian Crescent. Late season, specialty tablestock. Long, crescent-shaped fingerling tubers with smooth, tan skin and light yellow flesh. Resistances and susceptibilities are unknown.

Banana. Late maturing, specialty tablestock. Tubers are small, banana-shaped with pale yellow skin and flesh. Good scab resistance. Susceptible to PVY.

Carola. Mid-season specialty tablestock. Moderate to heavy set with good yield of medium to large oblong tubers with golden skin and pale yellow flesh. Excellent cooking quality. Short to medium dormancy. Good scab resistance, moderate resistance to tuber late blight.

Castile. Full season table or processing. Good yield of medium to large tubers that are oblong, with medium shallow eyes, white skin and flesh. Specific gravity equal to Superior. Resistant to golden nematode, pink eye, and Fusarium.

Chieftain. Mid-season tablestock. Tubers round to oblong, shallow eyes, attractive red skin. Yield >Norland. Specific gravity similar to Norland. Moderately resistant to scab.

Chippewa. Medium-early tablestock. Tubers white, with smooth skin, white flesh, shallow eyes, and oval flattened shape. Heavy setter and small tubers under dry conditions. Scab susceptible.

Eva. Mid-season tablestock and chipstock. Very nice plant type. Tubers are medium in size, round in shape, with very bright blemish-free skin and are almost free from pickouts and internal defects. Trial yields have been 116% of Atlantic, 105% of Katahdin and 91% of Allegany. Tuber dormancy is 6 weeks longer than Katahdin and Monona. Resistant to early blight and golden nematode Ro1.

French Fingerling. Specialty tablestock. Fingerling with pink skin and yellow flesh. Resistances and susceptibilities unknown.

Genesee. Late maturing tablestock. Yield and specific gravity similar to Monona. Tubers round, with white, bright skin, white flesh. Resistant to golden nematode, early blight, and scab.

Goldrush. Midseason fresh market and processing. Oblong to long russet with very white flesh. High yielding. Resistant to hollow heart, verticillium wilt and silver scurf. U.S. Patent No. 5,434,343, NDSU Research Foundation.

Juliette. Early tablestock. Good yield of long oval, yellow skinned and fleshed tubers. Resistance to common scab and golden nematode. PVP #200100104, GERMICOPA SAS.

Katahdin. Late season tablestock. Yield moderately high and specific gravity > Monona. Tubers round, shallow eyes, smooth buff skin and white flesh. Resistant to PVY and PVA, potato leafroll virus. Drought tolerant.

Kennebec. Mid-season to late chip and tablestock. Plants very large, blossoms white. Tubers white, elliptical to oblong, with shallow eyes. Sets few tubers so should be spaced closely. Subject to sunburn, second growth, and growth cracks under adverse conditions. Susceptible to scab. Field resistant to late blight.

Keuka Gold. Mid-late season tablestock, possibly chipstock from 50° storage. Pale yellow flesh, scurfy skin. Very high yields of large round tubers, very few pickouts. Small percentage of internal defects upstate, but internal necrosis on Long Island. Scab resistance like Superior. Specific gravity like Katahdin. Resistant to golden nematode.

LaRatte. Late maturity, specialty tablestock fingerling with smooth buff skin and pale yellow flesh. Resistances and susceptibilities unknown.

Lamoka (NY139). Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. Yields similar to Atlantic. Specific gravity has averaged 0.01 less than Atlantic. Tuber dormancy is one week longer than Atlantic. Good chip color from 44F storage. Moderate resistance to common scab. Resistant to golden nematode (Ro1). U.S. Plant Variety Protection (PVP-1994) Certificate #200900364, Cornell University.

Lehigh (NY126). Mid-late season tablestock. Large tubers with scurfy skin and appealing yellow flesh. Good yields with few pickouts and low levels of internal defects. Good boiling quality. Attractive vines with white flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1).

Marcy. Late maturity chipstock. Large vines with white flowers. Tubers have scurfy skin with attractive round shape. Outstanding yield of large tubers. Generally free of pickouts due to external defects, small percentage of internal defects. Resistant to golden nematode and scab. PVP #200200121, Cornell University.

Modoc is an early maturing, round to oval, red skinned clone suitable for fresh market use. Tubers are a uniform bright skin color that does not fade in storage and has shallow eye depth. PVP Certificate #200600175 has been issued, State of Oregon.

NorDonna. Medium maturity tablestock. Dark red, oval to round tubers with shallow eyes. White flesh. Medium-high yield. Low incidence of hollow heart. Scab tolerant. PVP #9600243, NDSU Research Foundation.

Norland. Early-medium season tablestock. Good yield and low specific gravity. Tubers are round to flesh. Resistant to common scab, leaf roll, PVA, PVY, and wart. "Red" and "Dark Red" strains of Norland possess similar characteristics and have been selected for tuber skin color. These strains are not distinguishable by normal inspection procedures.

NY79. Early tablestock. Early yields equal to Superior, full season yields equal to Monona, and low specific gravity. Tuber large, round, white flesh, with a white scurfy skin. Resistant to scab and golden nematode.

NY118. Late season tablestock. Tubers are light red with slightly textured skin. Yield, set, and size is similar to Chieftain. Dormancy and scab resistance better than Chieftain. Resistance to golden nematode (Ro1).

NY136. Late maturity tablestock with deep red skin. Tuber size slightly small than Chieftain. Dormancy two weeks longer than Chieftain. Moderate resistance to common scab. Resistant to golden nematode (Ro1).

NY141. Mid season tablestock with attractive tubers. Marketable yields have exceeded Atlantic in Cornell trials. Early yields exceed Superior. Pickout due to knobby tubers has been 2-3%. Low frequency of internal defects. Tubers remain white after boiling and do not slough. Tuber dormancy is two weeks longer than Atlantic. Moderately resistant to common scab. Resistant to the golden nematode (Ro1).

Peter Wilcox (B1816-5). Mid-season specialty tablestock. Tubers oblong to round with smooth purple skin and yellow flesh. Medium gravity with small tuber size. Yields low to moderate with US#1 yields similar to Dark Red Norland in ME trials. Susceptibility to skinning may be a problem. Susceptible to silver scurf. Very good for boiling and roasting.

Purple Pelisse (POR01PG16-1) is a mid season specialty potato with purple skin and dark purple flesh. An excellent tasting colored fingerling, high in antioxidants, ideal for fresh fingerling market with few tuber defects. PVP applied for #201000299, State of Oregon.

Reba. Mid-late season chip and tablestock. High yields with specific gravity slightly greater than Monona. Tubers early sizing, large, white skin and flesh. Resistant to golden nematode and scab.

Red LaSoda, Selection #10. Mid-season, high yielding, tablestock. A line selection from a mutation of LaSoda. Tubers round to oval, eyes medium in depth, bright deep red skin, white flesh. Heat tolerant, and resistant to early blight. Susceptible to hollow heart and growth cracks.

Red Maria (NY129.) Late season, red-skinned tablestock. High yields of large, round tubers with shallow eyes and textured skin. Yield, dormancy better than Chieftain. Low frequency of pickouts and internal defects. Good boiling quality. Dark green vines with red/purple flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1)

Red Pontiac. Mid-season tablestock, high yielding, medium specific gravity. Tubers round to oblong, medium deep eyes, dark red skin, sometimes netted, white flesh. Drought tolerant. Susceptible to PVY, bruising, scab.

Red Sunset produces high marketable yield with excellent fresh market quality. This bright red skinned, mid to early maturing variety also has high Vitamin C content. PVP applied for #201000319, State of Oregon.

Salem. Mid-season tablestock. High yielding and specific gravity equal to Monona. Tubers large, slightly flat, bright white skin and flesh, early emerging. Resistant to golden nematode and very scab resistant.

Satina. Medium-early, high yielding tablestock. Good set of oval to round tubers with smooth, yellow skin and deep yellow flesh. Long dormancy. Resistant to potato cyst nematode Ro1 and wart. Very resistant to common scab. PVP #9600092, Saka-Ragis Pflanzenzucht GbR.

Sebago. Very late season table and chipstock. High yielder, medium gravity. Tubers round, shallow eyes, smooth buff skin, and white flesh. Resistant to potato viruses A, Y, and X, early blight, and net necrosis.

Snowden. Late season chipper and tablestock. High yielding, high specific gravity. Chips out of 45°. Tubers round-oval, medium shallow eyes, buff skin, white flesh. Susceptible to scab.

Superior. Early tablestock. Medium yield and specific gravity. Tubers round, medium shallow eyes, buff lightly flaky russet skin, white flesh. Resistant to scab. Susceptible to late blight, PVY, and Verticillium wilt.

Waneta. (NY138) Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. In Cornell trials, yield has been comparable to Atlantic, while gravity has averaged 0.01 less than Atlantic. Few pickouts, but large tubers have shown 5-10% hollow heart. Very good chip color from 44 degree storage. Dormancy is six weeks longer than Atlantic. Less susceptible to blackspot than Snowden. Moderately resistant to common scab. Resistant to the golden nematode (Ro1). U.S. Plant Variety Protection (PVP-1994) Certificate #200900363, Cornell University.

Yukon Gold. Mid-season tablestock. High yield and high specific gravity. Tubers oval, shallow pink eyes, yellowish-buff skin, and light yellow flesh. Resistant to potato virus A, and leafroll. Susceptible to scab.

Notice:

Variety/Selection Descriptions. The descriptions of varieties and selections in this directory are provided for informative purposes only and are not intended to act as a substitute for official variety descriptions. Specific inquiries regarding agronomic characteristics or disease resistances should be directed to the variety developer/owner or your local Cooperative Extension Agent.

Certification of Varieties/Selections. This directory may list selections/strains of certain varieties. These strains/selections may possess characteristics that are different from the variety as originally described by the developer. However, these strains/selections cannot normally be distinguished from the original variety using conventional certification methods or laboratory testing, and any representation as to selection/strain is the sole responsibility of the seller.

Intellectual Property Rights. Certain varieties may be protected under plant variety protection (PVP), patent, or other intellectual property laws. Production of these varieties may require a license or other permission of the variety owner and it is the responsibility of producers to ensure that appropriate permissions are obtained. Any information provided in this directory regarding the protection of specific varieties is provided for informative purposes only and is not intended to act as a substitute for official sources of such information.

2015 Grower Information

Ayers & Gillette

PO Box 84, Pike, NY 14130
585-493-2394 585-493-9385 FAX
E-mail: Tlayers@yahoo.com
Lamoka, Snowden

Kurt Brehm

PO Box 547, 8696 Tabor Corners Road,
Wayland, NY 14572
585-315-8746
Andover, Snowden

Childstock Farms, Inc.

156 Child Road, Malone, NY 12953
518-483-1239 518-483-4820 FAX
E-mail: rchild@childfarm.net
06-363, *AmaRosa, Austrian Crescent,
Banana, Cascade, Dakota Ruby, HZC07-6040,
Juliette, La Ratte, Lamoka, Lehigh, Marcy, Merlot,
Modoc, NorDonna, NY140 NY141, NY148, NY150,
Papa Cacho, Purple Pelisse, Purple Peruvian, Reba,
Red Maria, Red Sunset, Red Thumb, Satina, Sifra,
Soraya, Superior, US Blue, Waneta, Wega*

Hopkinson Farms

PO Box 164, Williamstown, NY 13493
315-964-2221
E-mail: hopfarms@aol.com
*105/2/W/06, 13 KAG08, Actrice, Bettina,
Butte, Chieftain, Electra, Katahdin, Maybell,
NorDonna, NY140, Olympus, Reba, Red Duck,
Red LaSoda#10, Superior, W2978-3, Yukon Gold*

Pryputniewicz, Andrew

2293 Rte 12, Waterville, NY 13480
315-841-8426 Phone & FAX
E-mail: seedpotato@frontier.com
*Adirondack Blue, Adirondack Red, Amey,
Chieftain, Eva, French Fingerling, Goldrush,
Keuka Gold, Lehigh, Magic Molly, NY118,
NY136, NY141, NY149, NY150, NY151,
Red LaSoda #10, Redsen, Rideau,
Salem, Yukon Gold*

Pryputniewicz, Bruce H.

2534 Doolittle Rd, Sauquoit, NY 13456
315-839-5301 Phone & FAX
E-mail: bp1potato@frontiernet.net
*Adirondack Blue, Adirondack Red, Amey,
Carola, Castile, Chieftain, Chippewa, Eva,
French Fingerling, Genesee, Katahdin,
Kennebec, Keuka Gold, NorDonna,
Norland-Dark Red, NY79, NY118, NY141,
Red Maria, Red Pontiac, Sebago,
Superior, Yukon Gem, Yukon Gold*

Tucker Farms, Inc.

PO Box 8, Gabriels, NY 12939
518-637-1230 518-578-8436
E-mails: adkspud@hotmail.com
potatofarmer@westelcom.com
Website: www.tuckertaters.com
*Adirondack Blue, Adirondack Red,
All Blue, Daisy Gold, King Harry, Lamoka,
Lehigh, Magic Molly, NY150, Peter Wilcox,
Reba, Red Maria, Salem, Superior*

Cornell - Uihlein Potato Farm

Christopher M. Nobles, Manager
281 Bear Cub Lane, Lake Placid, NY 12946
518-523-3258; 518-523-4138 FAX;
518-524-6806 Cell
Email: cmn5@cornell.edu

Website:

[http://cals.cornell.edu/cals/plpath/about/facilities/
uhlein-farm.cfm](http://cals.cornell.edu/cals/plpath/about/facilities/uhlein-farm.cfm)

Dr. Keith L. Perry,
Director, Foundation Seed Program
Dept. of Plant Pathology, Cornell University
Ithaca, NY 14853
607-254-8243 607-255-4471 FAX
Email: klp3@cornell.edu

<u>VARIETY</u> Grower	<u>Classification</u>	<u>Acreage</u>
06-363		
Childstock Farms	FUG2	0.60
105/2/W06		
Hopkinson Farms	FG1	0.01
13KAG 08		
Hopkinson Farms	FG1	0.01
ACTRICE		
Hopkinson Farms	FG1	0.01
ADIRONDACK BLUE		
Pryputniewicz, Andrew	FUG1	0.12
Pryputniewicz, Bruce	FUG1	0.10
	FUG2	0.40
Tucker Farms	FUG1	0.50
	FUG2	<u>2.00</u>
		3.12
ADIRONDACK RED		
Pryputniewicz, Andrew	FUG1	0.12
Pryputniewicz, Bruce	FUG1	0.10
	FUG2	0.30
Tucker Farms	FUG1	0.30
	FUG2	<u>1.00</u>
		1.82
ALL BLUE		
Tucker Farms	FUG1	0.30
	FUG2	<u>2.00</u>
		2.30
AMAROSA		
Childstock Farms	FG1	0.10
	FG2	2.20
	FG3	17.20
	FG4	<u>1.70</u>
		21.20
AMEY		
Pryputniewicz, Andrew	FUG1	0.30
Pryputniewicz, Bruce	FUG1	<u>0.80</u>
		1.10
ANDOVER		
Brehm, Kurt	CG2	14.60

<u>VARIETY</u> Grower	<u>Classification</u>	<u>Acreage</u>
AUSTRIAN CRESCENT		
Childstock Farms	FUG3	16.30
	FG1	0.65
	FG2	3.80
	FG3	<u>26.60</u>
		47.35
BANANA		
Childstock	FG1	0.24
	FG2	0.75
	FG3	<u>12.80</u>
		13.79
BETTINA		
Hopkinson Farms	FG1	0.01
BUTTE		
Hopkinson Farms	FG1	0.01
CAROLA		
Pryputniewicz, Bruce	FUG1	0.20
	FUG2	<u>0.40</u>
		0.60
CASCADE		
Childstock Farms	FG3	3.40
CASTILE		
Pryputniewicz, Bruce	FUG1	0.70
	FUG2	<u>0.40</u>
		1.10
CHIEFTAIN		
Hopkinson Farms	FUG1	0.40
	FUG2	7.07
Pryputniewicz, Andrew	CUG2	2.30
Pryputniewicz, Bruce	FUG1	0.35
	FUG2	<u>2.30</u>
		12.42
CHIPPEWA		
Pryputniewicz, Bruce	FUG1	0.10
	FUG2	<u>0.50</u>
		0.60

VARIETY	Grower	Classification	Acreage
DAISY GOLD			
	Tucker Farms	FUG1	0.50
DAKOTA RUBY			
	Childstock Farms	FG1	0.17
ELECTRA			
	Hopkinson Farms	FG1	0.01
EVA			
	Pryputniewicz, Andrew	FUG1	0.92
	Pryputniewicz, Bruce	FUG1	0.25
		FUG2	<u>2.20</u>
			3.37
FRENCH FINGERLING			
	Pryputniewicz, Bruce	FUG1	0.05
	Pryputniewicz, Bruce	FUG1	0.05
		FUG2	<u>0.40</u>
			0.50
GENESEE			
	Pryputniewicz, Bruce	FUG1	0.80
		FUG2	<u>2.50</u>
			3.30
GOLDRUSH			
	Pryputniewicz, Andrew	CUG3	0.05
HZC07-6040			
	Childstock Farms	FG2	0.60
JULIETTE			
	Childstock Farms	FUG2	8.40
		CUG3	<u>2.75</u>
			11.15
KATAHDIN			
	Hopkinson Farms	FUG1	0.77
		CUG3	12.42
	Pryputniewicz, Bruce	FUG1	0.20
		FUG2	<u>0.70</u>
			14.09

15

VARIETY	Grower	Classification	Acreage
KENNEBEC			
	Pryputniewicz, Bruce	FUG1	0.35
		FUG2	<u>1.70</u>
			2.05
KEUKA GOLD			
	Pryputniewicz, Andrew	FUG1	4.00
		FUG2	5.20
	Pryputniewicz, Bruce	FUG1	0.25
		FUG2	<u>0.70</u>
			6.55
KING HARRY			
	Tucker Farms	FUG1	0.30
LA RATTE			
	Childstock Farms	FUG3	40.30
		FG1	0.34
		FG2	<u>3.00</u>
			46.64
LAMOKA			
	Ayers & Gillette	CUG1	12.60
	Childstock Farms	FUG1	34.50
	Tucker Farms	FUG1	0.50
		FUG2	<u>3.00</u>
			50.65
LEHIGH			
	Childstock Farms	FUG1	2.90
		FUG2	20.35
		FUG3	4.00
	Pryputniewicz, Andrew	FUG1	0.13
		FG3	1.40
	Tucker Farms	FUG1	0.50
		FUG2	<u>4.00</u>
			33.28
MAGIC MOLLY			
	Pryputniewicz, Andrew	FUG1	0.15
	Tucker Farms	FUG1	<u>0.50</u>
			0.65
MARCY			
	Childstock Farms	FUG1	0.70
		FUG2	<u>6.10</u>
			6.80

16

VARIETY	Grower	Classification	Acreage
MERLOT			
	Childstock Farms Inc.	FG2	0.90
		FG3	<u>0.65</u>
			1.55
MODOC			
	Childstock Farms	FUG1	0.29
		FG3	0.27
		CG6	<u>3.40</u>
			3.96
NORDONNA			
	Childstock Farms	FUG1	1.22
		FUG2	5.75
	Hopkinson Farms	FUG1	0.40
		FUG2	1.59
	Pryputniewicz, Bruce	FUG1	0.30
		FUG2	<u>1.00</u>
			10.26
NORLAND-Dark Red Selection			
	Pryputniewicz, Bruce	FUG1	0.40
		FUG2	<u>1.80</u>
			2.20
NY79			
	Pryputniewicz, Bruce	FUG1	0.90
NY118			
	Pryputniewicz, Andrew	FUG1	0.30
	Pryputniewicz, Bruce	FUG1	0.50
		FUG2	<u>2.50</u>
			3.30
NY136			
	Pryputniewicz, Andrew	FUG2	0.50
NY140			
	Childstock Farms	FG1	0.65
	Hopkinson Farms	FUG1	<u>0.44</u>
			1.09

17

VARIETY	Grower	Classification	Acreage
NY141			
	Childstock Farms	FUG1	3.30
		FUG2	3.30
		FUG3	13.82
	Pryputniewicz, Andrew	FUG1	0.23
		FUG3	4.60
	Pryputniewicz, Bruce	FUG1	0.30
		FUG2	<u>0.90</u>
			26.45
NY148			
	Childstock Farms	FUG1	0.90
NY149			
	Pryputniewicz, Andrew	FUG1	0.12
NY150			
	Childstock Farms	FUG1	0.32
	Pryputniewicz, Andrew	FG1	0.05
	Tucker Farms	FUG1	<u>0.25</u>
			0.62
NY151			
	Pryputniewicz, Andrew	FG1	0.10
OLYMPUS			
	Hopkinson Farms	FG1	0.01
PAPA CACHO			
	Childstock Farms	FUG1	3.00
		FUG2	3.00
		FUG3	<u>3.45</u>
			9.45
PETER WILCOX			
	Tucker Farms Inc.	FUG1	0.20
		FUG2	<u>1.00</u>
			1.20

18

VARIETY Grower Classification Acreage

PURPLE PELISSE

Childstock Farms	FG1	0.09
	FG2	2.30
	FG3	2.40
	FG4	<u>2.10</u>
		6.89

PURPLE PERUVIAN

Childstock Farms	FG1	0.10
	FG2	0.60
	FG3	<u>3.30</u>
		4.00

REBA

Childstock Farms	FUG1	3.50
	FUG2	17.80
	FUG3	5.20
Hopkinson Farms	FUG2	9.48
	CUG3	1.34
Tucker Farms	FUG1	0.50
	FUG2	<u>6.01</u>
		43.83

RED DUCK

Hopkinson Farms	FG1	0.01
-----------------	-----	-------------

RED LA SODA-Selection #10

Hopkinson Farms	FUG1	0.85
	FUG2	10.54
	FUG3	1.51
Pryputniewicz, Andrew	FUG1	<u>0.50</u>
		13.40

RED MARIA

Childstock Farms	FUG1	0.52
	FUG2	10.70
Pryputniewicz, Bruce	FUG1	0.15
	FUG2	1.00
Tucker Farms	FUG1	0.30
	FUG2	<u>4.00</u>
		16.67

19

VARIETY Grower Classification Acreage

RED PONTIAC

Pryputniewicz, Bruce	FUG1	0.20
	FUG2	<u>0.60</u>
		0.80

RED SUNSET

Childstock Farms	FUG2	0.10
	FG3	<u>0.25</u>
		0.35

RED THUMB

Childstock Farms	FG1	0.76
------------------	-----	-------------

REDSSEN

Pryputniewicz, Andrew		1.20
-----------------------	--	-------------

RIDEAU

Pryputniewicz, Andrew	FUG1	0.01
-----------------------	------	-------------

SALEM

Pryputniewicz, Andrew	FUG1	1.30
	CUG3	1.50
Tucker Farms	FUG1	0.50
	FUG2	<u>4.00</u>
		7.30

SATINA

Childstock Farms	FG1	3.78
	FG2	1.06
	FG3	9.80
	FG4	<u>11.00</u>
		25.64

SEBAGO

Pryputniewicz, Bruce	FUG1	0.70
----------------------	------	-------------

SIFRA

Childstock Farms	FG1	0.06
	FG2	0.78
	FG3	<u>7.60</u>
		8.44

SNOWDEN

Ayers & Gillette	CG1	17.30
	CG2	<u>10.50</u>
Brehm, Kurt		27.80

20

VARIETY Grower Classification Acreage

SORAYA

Childstock Farms	FG1	0.16
	FG2	2.30
	FG3	0.52
	FG5	<u>5.06</u>
		5.97

SUPERIOR

Childstock Farms	FUG2	8.97
	FUG4	7.20
	FG1	1.97
Hopkinson Farms	FUG1	0.85
	FUG2	7.84
	FUG3	11.77
Pryputniewicz, Bruce	FUG1	0.30
	FUG2	1.70
Tucker Farms	FUG1	1.00
	FUG2	<u>8.00</u>
		49.53

US BLUE

Childstock Farms	FG1	0.03
	FG2	0.36
	FG3	<u>1.17</u>
		2.61

W2978-3

Hopkinson Farms	FG1	0.02
-----------------	-----	-------------

WANETA

Childstock Farms	FUG1	11.03
	FUG2	62.14
	FUG3	<u>11.90</u>
		85.07

WEGA

Childstock Farms	FG1	0.08
	FG2	<u>0.20</u>
		0.28

VARIETY Grower Classification Acreage

YUKON GEM

Pryputniewicz, Bruce	FG3	0.50
----------------------	-----	-------------

YUKON GOLD

Hopkinson Farms	FUG1	0.44
	FUG2	1.14
Pryputniewicz, Andrew	FUG1	0.60
	CUG4	0.30
Pryputniewicz, Bruce	FUG1	0.70
	FUG2	<u>3.80</u>
		6.98

<p>Cornell Uihlein Potato Farm 38.72 Acres Entered For Certification</p>

NEW YORK SEED IMPROVEMENT PROJECT

103C Leland Lab Cornell University
Ithaca, NY 14853

Phone 607-255-9869 Fax 607-255-9048

E-mail: nysip@cornell.edu

**NEW YORK STATE DEPARTMENT OF
AGRICULTURE AND MARKETS**

INSPECTORS

Saeed Akhtar
Rachel Gordon

Division of Food Safety & Inspection
10B Airline Drive, Albany, NY 12235
518-457-2090

Tom Tubbs
New York State Fairgrounds
Art and Home Center, Syracuse, NY 13209
315-487-0998

SHIPPING POINT INSPECTIONS

This service is under the supervision of the
New York State Department of Agriculture & Markets.
For appointments, please contact the closest office.

Albany

Elena Stangle
Farm Products Grading Manager
NYS Department of Agriculture & Markets
10B Airline Drive, Albany, NY 12235
518-457-2090

Rochester & Syracuse

Martyn Farrell
Supervising Farm Products Inspector
Division of Food Safety and Inspection
1530 Jefferson Road, Rochester, NY 14623
585-427-0200