


New York Seed Improvement Project  
103C Leland Lab Cornell University  
Ithaca, NY 14853



# New York Certified Seed Potatoes 2020 Crop Directory



# **New York Certified Seed Potatoes 2020 Crop Directory**

## **Table of Contents**

Seed Potato Certification in New York.....	1
The Uihlein Farm of Cornell University.....	3
Potato Varieties Certified in 2019.....	4
Grower Info and Varieties Grown.....	10
Variety/Grower/Classification/Acres.....	12
NY Seed Potato Certification Personnel.....	20
Cornell Uihlein Potato Farm Personnel.....	20
NYS Dept. of Agriculture and Markets Personnel.....	21

New York Seed Improvement Project  
103C Leland Lab  
Cornell University  
Ithaca, NY 14853  
607 - 255-9869 Telephone  
607 - 255-9048 FAX

**POTATO CERTIFICATION  
IN NEW YORK**

The primary objectives of seed potato certification are to maintain and make available to the public dependable sources of top quality seed. The New York Certification program, which originated in 1913, represents a voluntary agreement between the seed grower and the certifying agency. The NYS College of Agriculture & Life Sciences (CALs) at Cornell University, designated by the Commissioner of Agriculture as the official seed certifying agency in the state of New York, works in cooperation with the NYS Department of Agriculture & Markets in carrying out the objectives of seed certification. Seed growers are members of the NY Seed Improvement Cooperative, Inc. Program administration and record keeping are conducted by the New York Seed Improvement Project in CALs' Plant Breeding and Genetics Department.

The New York Certification program is a limited generation program with two classes of certified seed, "Foundation" and "Certified". The data listed in this directory represent seed potato acreage *entered* for certification this year. In order to be eligible for sale as certified seed, seed potatoes must meet the minimum requirements described in the standards for seed potato certification (1 NYCRR Parts 106 and 107). These requirements include:


- Use of pretested and approved seed stocks.
- A minimum of 2 field inspections.
- A bin inspection of tubers after harvest.
- A winter test.
- A Federal-State shipping point inspection to ensure conformity with New York certified seed grades.

Only seed meeting all of the requirements for certification and bearing official tags or certificates issued by the certification agency may be represented for sale as "Foundation" or "Certified" seed.

<u>TOLERANCES FOR CERTIFIED SEED *</u>			
<u>Factor</u>	<u>Summer</u>	<u>Winter Test</u>	
		<u>F</u>	<u>C</u>
Leaf roll .....	1.0	0.5	5.0
Mosaic .....	1.0	0.5	5.0
Spindle Tuber .....	0.1	0.5	5.0
Total Virus and Spindle Tuber .....	2.0	0.5	5.0
Fusarium and Verticillium Wilt .....	5.0	--	--
Varietal Mixture .....	0.25	0.25	0.25
Ring Rot .....	0.0	0.0	0.0

\*Seed lots passing inspection in New York do not exceed the tolerances listed based on visual inspections. Seed lots are classified as Foundation (F) or Certified (C) based on winter test results.

The seed classes designated by generation (G) of production on a seed grower's farm are shown below.



\* U = Uihlein Farm source noted for first 3 generations;

\*\* Other sources will be designated by appropriate field generation depending upon source. ALL sources must originate from pathogen-tested, tissue culture sources and be G5 or higher seed class to be eligible for entry at planting. All seed lots must be winter tested.

**Bacterial ring rot has NOT been detected in any seed lot of any seed grower since 1987.**

**-- DISCLAIMER OF WARRANTY --**

The New York Seed Improvement Project, the New York State College of Agriculture and Life Sciences of Cornell University, and the New York State Department of Agriculture and Markets make no expressed or implied warranties or representations as to the freedom from disease or to the quality or quantity of the crop produced from certified seed, including merchantability or fitness for a particular purpose. The only representation is that the seed potatoes were produced and inspected under the seed potato certification rules and regulations of the State of New York (1 NYCRR Parts 106 and 107).

**THE UIHLEIN FARM OF CORNELL UNIVERSITY**

The Uihlein Farm of Cornell University, the official seed potato farm in New York State, is located at an elevation of 2,100 feet in the scenic Adirondack Mountains, approximately 2 miles south of the village of Lake Placid. This well-isolated farm consists of approximately 175 tillable acres. It was donated to Cornell University in the fall of 1961 by Mr. and Mrs. Henry Uihlein II of Heaven Hill Farm, Lake Placid, for the express purpose of producing basic potato seed stocks for the New York potato industry.

In 1977, the Uihleins provided the funds to construct the Henry Uihlein II Laboratory, a facility consisting of a laboratory and an adjoining 125-foot greenhouse. This facility is used to develop disease-free nuclear seed stocks of commercial varieties along with selections from Cornell and other State or Federal potato breeding programs through pathogen-testing of seed originating from tissue cultured plantlets. Plantlets grown in test tubes are thoroughly screened for disease-causing microorganisms including bacteria, fungi, numerous viruses and the potato spindle tuber viroid.

All planting stocks produced on the Uihlein Farm originate from pathogen-tested tissue culture materials. These plantlets are transplanted to pots in the greenhouse or directly to soil for tuber production, and the resultant progeny are used to produce basic planting stocks for the New York seed potato industry. Over one hundred potato varieties are maintained in the Uihlein Farm tissue culture collection, with more than 80 varieties produced under contract. The New York Seed Improvement Cooperative's Potato Certification Committee serves in an advisory capacity in determining the policies regarding potato varieties and the production and allocation of Uihlein seed.

**As of June 30, 2020, the Uihlein Farm will end all seed potato activities and close.**

**The Foundation Seed Potato Program will continue to support New York agriculture from its location in Ithaca. The laboratory on the Cornell campus has always been the entry point for potato varieties destined for the Uihlein Farm in Lake Placid. The Ithaca lab is where all of the initial tissue culture and disease testing work is performed. Beginning in 2020, all tissue culture work will be carried out at the Ithaca lab where we will continue to grow tissue culture plants of new potato varieties that are adapted for use in New York.**

## POTATO VARIETIES & SELECTIONS ENTERED FOR CERTIFICATION IN 2020

Adirondack Blue	Genesee	NY161
Adirondack Red	German Butterball	NY163
Algonquin (NY141)	Golden Globe	NY164
AmaRosa	Goldrush	NY165
Amey	Green Mountain	NYE11-45
Andover	Jennifer	Papa Cacho
Audrey(HZC-07-6093)	Juliette	Peter Wilcox
Austrian Crescent	Katahdin	Prada
Babylou	Kennebec	Purple Majesty
Baltic Rose	Keuka Gold	Purple Pelisse
Banana	King Harry	Purple Peruvian
Belmonda	La Ratte	Reba
Blackberry	Lady Liberty (NY152)	Red Maria
Brodie (NY140)	Lamoka	Red Pontiac
Carola	Lehigh	Redsen
Castile	Maggie (HZC-07-6099)	Salem
Charlotte	Magic Molly	Sebago
Chieftain	Natascha	Snowden
Chippewa	NorDonna	Soraya
Daisy Gold	Norland-Dark Red	Superior
Early Ohio	NY79	Tacoma
Eva	NY118	Upstate Abundance
Fenway Red	NY149	Waneta
Fleure Bleue	NY157	Yukon Gold
French Fingerling	NY160	

### VARIETY SELECTIONS DESCRIPTIONS

**Adirondack Blue.** Early to mid-season specialty tablestock. Tubers have dark purple skin and purple flesh. Scab susceptible, Cornell University.

**Adirondack Red.** Specialty tablestock. Tubers are long with reddish-purple skin and red flesh. Susceptible to silver scurf. Scab reaction similar to Atlantic, Cornell University.

**Algonquin (NY141).** Mid season tablestock with attractive tubers. Marketable yields have exceeded Atlantic in Cornell trials. Early yields exceed Superior. Pickout due to knobby tubers has been 2-3%. Low frequency of internal defects. Tubers remain white after boiling and do not slough. Tuber dormancy is two weeks longer than Atlantic. Moderately resistant to common scab. Resistant to golden nematode (Ro1).

**AmaRosa.** Mid-season fingerling potato with red skin and red flesh. Tubers are smooth with well distributed, shallow eyes. Very high culinary quality; ideal for microwaving, frying or baking. Retains color when chipped. Can skin during harvest. Brown center and hollow heart are rare. Medium storage capability and medium to high fertility requirements. Susceptible to Metribuzin. PVP Certificate #201100297, State of Oregon.

**Amey.** Late maturity, white-fleshed russet. Tubers oblong, occasionally long. Excellent baking quality, potential processor. Resistant to race A of the golden nematode, Verticillium wilt, powdery scab, and common scab. Susceptible to potato leafroll virus, late blight, and early blight.

**Andover.** Early season tablestock and chipping variety. Tubers spherical with slightly textured skin. Good cooking qualities and specific gravity. Excellent chip color from 45° storage. Relatively free from internal defects. Resistant to scab and golden nematode.

**Austrian Crescent.** Late season, specialty tablestock. Long, crescent-shaped fingerling tubers with smooth, tan skin and light yellow flesh. Resistances and susceptibilities are unknown.

**Banana.** Late maturing, specialty tablestock. Tubers are small, banana-shaped with pale yellow skin and flesh. Good scab resistance. Susceptible to PVY.

**Brodie (NY 140).** Late season, dual purpose chip and tablestock. Large oblong tubers, white skin and white flesh. Excellent yielding ability. Brodie is resistant to the golden nematode races Ro1 and Ro2.

**Carola.** Mid-season specialty tablestock. Moderate to heavy set with good yield of medium to large oblong tubers with golden skin and pale yellow flesh. Excellent cooking quality. Short to medium dormancy. Good scab resistance, moderate resistance to tuber late blight.

**Castile.** Full season table or processing. Good yield of medium to large tubers that are oblong, with medium shallow eyes, white skin and flesh. Specific gravity equal to Superior. Resistant to golden nematode, pink eye, and Fusarium.

**Chieftain.** Mid-season tablestock. Tubers round to oblong, shallow eyes, attractive red skin. Yield >Norland. Specific gravity similar to Norland. Moderately resistant to scab.

**Chippewa.** Medium-early tablestock. Tubers white, with smooth skin, white flesh, shallow eyes, and oval flattened shape. Heavy setter and small tubers under dry conditions. Scab susceptible.

**Early Ohio.** Early maturity, heirloom tablestock variety. Large tubers with smooth, tan skin and white flesh.

**Eva.** Mid-season tablestock and chipstock. Very nice plant type. Tubers are medium in size, round in shape, with very bright blemish-free skin and are almost free from pickouts and internal defects. Trial yields have been 116% of Atlantic, 105% of Katahdin and 91% of Allegany. Tuber dormancy is six weeks longer than Katahdin and Monona. Resistant to early blight, golden nematode Ro1, PVY and PVX.

**French Fingerling.** Specialty tablestock. Fingerling with pink skin and yellow flesh. Resistances and susceptibilities unknown.

**Genesee.** Late maturing tablestock. Yield and specific gravity similar to Monona. Tubers round, white, bright skin, white flesh. Resistant to golden nematode, early blight and scab.

**German Butterball.** Late maturity, specialty tablestock. Large, round to oblong tubers with lightly netted, golden skin and yellow flesh. Resistances and susceptibilities unknown.

**Goldrush.** Midseason fresh market and processing. Oblong to long russet with very white flesh. High yielding. Resistant to hollow heart, verticillium wilt and silver scurf. U.S. Patent No. 5,434,343, NDSU Research Foundation.

**Juliette.** Early tablestock. Good yield of long oval, yellow skinned and fleshed tubers. Resistance to common scab and golden nematode. PVP #200100104, GERMICOPA SAS.

**Katahdin.** Late season tablestock. Yield moderately high and specific gravity > Monona. Tubers round, shallow eyes, smooth buff skin and white flesh. Resistant to PVY and PVA, potato leafroll virus. Drought tolerant.

**Kennebec.** Mid-season to late chip and tablestock. Plants very large, blossoms white. Tubers white, elliptical to oblong, with shallow eyes. Sets few tubers so should be spaced closely. Subject to sunburn, second growth, and growth cracks under adverse conditions. Susceptible to scab. Field resistant to late blight.

**Keuka Gold.** Mid-late season tablestock, possibly chipstock from 50° storage. Pale yellow flesh, scurfy skin. Very high yields of large round tubers, very few pickouts. Small percentage of internal defects upstate, but internal necrosis on Long Island. Scab resistance like Superior. Specific gravity like Katahdin. Resistant to golden nematode.

**La Ratte.** Late maturity, specialty tablestock fingerling with smooth buff skin and pale yellow flesh. Resistances and susceptibilities unknown.

**Lady Liberty** (NY152). Late season chipstock producing smaller round-shaped tubers with netted skin. Excellent chip color from cold storage. Moderate to good resistance to common scab. Plant variety protection applied for.

**Lamoka** (NY139). Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. Yields similar to Atlantic. Specific gravity has averaged 0.01 less than Atlantic. Tuber dormancy is one week longer than Atlantic. Good chip color from 44F storage. Moderate resistance to common scab. Resistant to golden nematode (Ro1). U.S. Plant Variety Protection (PVP-1994) Certificate #200900364, Cornell University.

**Lehigh** (NY126). Mid-late season tablestock. Large tubers with scurfy skin and appealing yellow flesh. Good yields with few pickouts and low levels of internal defects. Good boiling quality. Attractive vines with white flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1).

**NorDonna.** Medium maturity tablestock. Dark red, oval to round tubers with shallow eyes. White flesh. Medium-high yield. Low incidence of hollow heart. Scab tolerant. PVP #9600243, NDSU Research Foundation.

**Norland.** Early-medium season tablestock. Good yield and low specific gravity. Tubers are round to flesh. Resistant to common scab, leaf roll, PVA, PVY, and wart. "Red" and "Dark Red" strains of Norland possess similar characteristics and have been selected for tuber skin color. These strains are not distinguishable by normal inspection procedures.

**NY79.** Early tablestock. Early yields equal to Superior, full season yields equal to Monona, and low specific gravity. Tuber large, round, white flesh, with a white scurfy skin. Resistant to scab and golden nematode.

**NY118.** Late season tablestock. Tubers are light red with slightly textured skin. Yield, set, and size is similar to Chieftain. Dormancy and scab resistance better than Chieftain. Resistance to golden nematode (Ro1).

**NY149.** Mid-late season yellow-fleshed tablestock with slightly-textured skin and pink eyes.

**NY157.** Mid-late season chipstock.

**NY160.** Early-mid season, pink-skinned tablestock.

**NY161.** Mid-late season, yellow-fleshed tablestock with purple splashes on the skin. Moderate resistance to common scab. Susceptible to the golden nematode.

**NY E11-45.** Mid to late season chip and tablestock. High yielding. Tuber somewhat flattened in shape, bright white skin and flesh. Chips from 45 degree storage. Resistant to golden nematode.

**Peter Wilcox** (B1816-5). Mid-season specialty tablestock. Tubers oblong to round with smooth purple skin and yellow flesh. Medium gravity with small tuber size. Yields low to moderate with US#1 yields similar to Dark Red Norland in ME trials. Susceptibility to skinning may be a problem. Susceptible to silver scurf. Very good for boiling and roasting.

**Purple Pelisse** (POR01PG16-1) is a mid-season specialty potato with purple skin and dark purple flesh. An excellent tasting colored fingerling, high in antioxidants, ideal for fresh fingerling market with few tuber defects. PVP Certificate #201000299, State of Oregon.

**Reba.** Mid-late season chip and tablestock. High yields with specific gravity slightly greater than Monona. Tubers early sizing, large, white skin and flesh. Resistant to golden nematode and scab.

**Red Maria** (NY129). Late season, red-skinned tablestock. High yields of large, round tubers with shallow eyes and textured skin. Yield, dormancy better than Chieftain. Low frequency of pickouts and internal defects. Good boiling quality. Dark green vines with red/purple flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1).

**Red Pontiac.** Mid-season tablestock, high yielding, medium specific gravity. Tubers round to oblong, medium deep eyes, dark red skin, sometimes netted, white flesh. Drought tolerant. Susceptible to PVY, bruising, scab.

**Redsen.** Medium early, tablestock. Medium yield and specific gravity. Tubers round to oblong, shallow eyes, bright red skin, white flesh. Retains red color in storage. Resistant to late blight and scab. Susceptible to Fusarium dry rot, bruising, and seed piece decay.

**Salem.** Mid-season tablestock. High yielding and specific gravity equal to Monona. Tubers large, slightly flat, bright white skin and flesh, early emerging. Resistant to golden nematode and very scab resistant.

**Sebago.** Very late season table and chipstock. High yielder, medium gravity. Tubers round, shallow eyes, smooth buff skin, and white flesh. Resistant to potato viruses A, Y, and X, early blight, and net necrosis.

**Snowden.** Late season chipper and tablestock. High yielding, high specific gravity. Chips out of 45°. Tubers round-oval, medium shallow eyes, buff skin, white flesh. Susceptible to scab.

**Soraya.** Medium early, high yielding tablestock with yellow skin and flesh. Big, oval tubers and shallow eyes. Good resistance against internal bruising. Moderately resistant against leaf roll, leaf blight and tuber blight. Resistance to nematodes Ro1 Ro4.

**Superior.** Early tablestock. Medium yield and specific gravity. Tubers round, medium shallow eyes, buff lightly flaky russet skin, white flesh. Resistant to scab. Susceptible to late blight, PVY, and Verticillium wilt.

**Upstate Abundance (NY150).** Niche-market, early season white tablestock. Produces many small tubers with bright white skin. Resistant to race Ro1 of the golden nematode. Some resistance to common scab and late blight.

**Waneta. (NY138)** Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. In Cornell trials, yield has been comparable to Atlantic, while gravity has averaged 0.01 less than Atlantic. Few pickouts, but large tubers have shown 5-10% hollow heart. Very good chip color from 44 degree storage. Dormancy is six weeks longer than Atlantic. Less susceptible to blackspot than Snowden. Moderately resistant to common scab. Resistant to the golden nematode (Ro1). U.S. Plant Variety Protection (PVP-1994) Certificate #200900363, Cornell University.

**Yukon Gold.** Mid-season tablestock. High yield and high specific gravity. Tubers oval, shallow pink eyes, yellowish-buff skin, and light yellow flesh. Resistant to potato virus A, and leafroll. Susceptible to scab.

## **Notice:**

**Variety/Selection Descriptions.** The descriptions of varieties and selections in this directory are provided for informative purposes only and are not intended to act as a substitute for official variety descriptions. Specific inquiries regarding agronomic characteristics or disease resistances should be directed to the variety developer/owner or your local Cooperative Extension Agent.

**Certification of Varieties/Selections.** This directory may list selections/strains of certain varieties. These strains/selections may possess characteristics that are different from the variety as originally described by the developer. However, these strains/selections cannot normally be distinguished from the original variety using conventional certification methods or laboratory testing, and any representation as to selection/strain is the sole responsibility of the seller.

**Intellectual Property Rights.** Certain varieties may be protected under plant variety protection (PVP), patent, or other intellectual property laws. Production of these varieties may require a license or other permission of the variety owner and it is the responsibility of producers to ensure that appropriate permissions are obtained. Any information provided in this directory regarding the protection of specific varieties is provided for informative purposes only and is not intended to act as a substitute for official sources of such information.

## **2020 Grower Information**

**Caskey & Brehm Farms / Kurt Brehm**  
8696 Tabor Corners Road Box 547,  
Wayland, NY 14572  
585-315-8746  
*Andover, Lady Liberty,  
Lamoka, Snowden*

**Childstock Farms, Inc.**  
156 Child Road, Malone, NY 12953  
518-483-1239 518-483-4820 FAX  
E-mail: [rchild@childfarm.net](mailto:rchild@childfarm.net)  
*Algonquin, AmaRosa, Audrey, Austrian Crescent,  
Babylou, Baltic Rose, Banana, Belmonda, Blackberry,  
Brodie, Fenway Red, Fleure Bleue, Golden Globe,  
Jennifer, Juliette, La Ratte, Lady Liberty, Lamoka,  
Lehigh, Maggie, Natascha, NorDonna, NY163, NY165,  
Prada, Purple Majesty, Purple Pelisse, Reba,  
Red Maria, Snowden, Soraya, Tacoma,  
Upstate Abundance, Waneta*

**Juniper Hill Farm Adam Hainer**  
82 Loukes Lane, Wadhams, NY 12993  
518-524-5652  
Email: [juniperhillfarm@gmail.com](mailto:juniperhillfarm@gmail.com)  
*Upstate Abundance*

**M & W Seed Company**  
Michael Murphy & Peter Wallace  
3689 County Route 36, Wayland NY 14572  
585-683-6105; 585-683-3228  
E-mail: [mjm679@cornell.edu](mailto:mjm679@cornell.edu);  
[petewallace80@gmail.com](mailto:petewallace80@gmail.com)  
*Lady Liberty, Lamoka, NY157, Waneta*

**C. Mark Farms Cory Mark**  
11595 Buffalo Road, Wayland, NY 14572  
585-330-7264; 585-728-2392 FAX  
Email: [c.markfarms@gmail.com](mailto:c.markfarms@gmail.com)  
*Andover, Lady Liberty, Lamoka, NY160, Waneta*

**Milkweed Tussock Tubers**  
Catherine Bennet  
1190 State Hwy 184, Heuvelton, NY 13654  
315-777-7245  
Email: [milkweedtussocktubers@gmail.com](mailto:milkweedtussocktubers@gmail.com)  
*Papa Cacho, Purple Peruvian, Upstate Abundance*

**Pryputniewicz, Andrew**  
2293 Rte 12, Waterville, NY 13480  
315-841-8426 Phone & FAX  
E-mail: [seedpotato@frontier.com](mailto:seedpotato@frontier.com)  
*Algonquin, Andover, Carola, Charlotte,  
Chieftain, Chippewa, Genesee, Goldrush, Katahdin,  
Keuka Gold, Lehigh, NorDonna, NY118, NY149,  
NY161, NY164, NYE11-45, Peter Wilcox, Reba,  
Redsen, Salem, Superior, Yukon Gold*

**Pryputniewicz, Bruce H.**  
2534 Doolittle Rd, Sauquoit, NY 13456  
315-839-5301 Phone & FAX  
E-mail: [bp1potato@frontiernet.net](mailto:bp1potato@frontiernet.net)  
*Adirondack Blue, Adirondack Red,  
Algonquin, Amey, Carola, Castile, Chieftain,  
Chippewa, Eva, French Fingerling, Genesee,  
Katahdin, Kennebec, Keuka Gold, Lehigh,  
NorDonna, Norland-Dark Red, NY79, NY118,  
Red Maria, Red Pontiac, Sebago,  
Superior, Yukon Gold*

**Saranac Valley Farms LLC Ken White**  
3489 Rte 3, PO Box 183, Saranac, NY 12981  
518-293-6427  
Email: [klwhite@westelcom.com](mailto:klwhite@westelcom.com)  
*Adirondack Blue, Daisy Gold, Early Ohio,  
German Butterball, Papa Cacho, Red Maria  
Upstate Abundance*

**Tucker Farms, Inc.**  
PO Box 8, Gabriels, NY 12939  
518-637-1230 518-578-8436  
E-mails: [adkspud@hotmail.com](mailto:adkspud@hotmail.com)  
[Potatofarmerff5@gmail.com](mailto:Potatofarmerff5@gmail.com)  
Website: [www.tuckertaters.com](http://www.tuckertaters.com)  
*Adirondack Red, Brodie, King Harry, Lamoka,  
Lehigh, Magic Molly, Peter Wilcox, Reba, Red Maria,  
Salem, Superior, Upstate Abundance*

**Wallace, John R.**  
9260 Cty Rte 9, Cohocton, NY14826  
607-382-3428  
E-mail: [macky1401@yahoo.com](mailto:macky1401@yahoo.com)  
*Lady Liberty, Lamoka*



**VARIETY** Grower      Classification      Acreage

**ADIRONDACK BLUE**

PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	0.300
SARANAC VALLEY	FUG1	0.300
	FUG2	0.080
	FUG4	<u>0.140</u>
		<b>0.714</b>

**ADIRONDACK RED**

PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	0.200
TUCKER FARMS	FUG4	<u>0.200</u>
		<b>0.564</b>

**ALGONQUIN (NY141)**

CHILDSTOCK FARMS INC.	FG2	0.530
	FG2	10.510
	FG4	1.550
PRYPUTNIEWICZ, ANDREW	FG1	0.300
	FUG2	0.500
PRYPUTNIEWICZ, BRUCE	FUG3	0.610
	FUG1	0.027
	FUG2	0.136
	FUG3	<u>0.900</u>
		<b>20.554</b>

**AMAROSA**

CHILDSTOCK FARMS INC.	FG1	0.160
	FG2	1.530
	FG3	<u>10.130</u>
		<b>11.820</b>

**AMEY**

PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>0.400</u>
		<b>0.564</b>

**ANDOVER**

CASKEY & BREHM	CG4	5.000
C. MARK FARMS	CG2	0.070
PRYPUTNIEWICZ, ANDREW	FUG1	<u>0.300</u>
		<b>6.100</b>

**AUDREY (HZC-07-6093)**

CHILDSTOCK FARMS INC.	FG3	<b>1.640</b>
-----------------------	-----	--------------

**AUSTRIAN CRESCENT**

CHILDSTOCK FARMS INC.	FUG1	0.290
	FUG2	3.490
	FG3	<u>7.470</u>
		<b>11.250</b>

**BABYLOU**

CHILDSTOCK FARMS INC	FG1	<b>0.100</b>
----------------------	-----	--------------

**VARIETY** Grower      Classification      Acreage

**BALTIC ROSE**

CHILDSTOCK FARMS INC.	FG1	0.090
	FG2	0.300
	FG3	<u>0.380</u>
		<b>0.770</b>

**BANANA**

CHILDSTOCK FARMS INC	FG1	0.100
	FUG2	2.800
	FG3	<u>7.590</u>
		<b>10.490</b>

**BELMONDA**

CHILDSTOCK FARMS INC.	FG1	0.170
	FG2	1.500
	FG3	<u>13.30</u>
		<b>14.970</b>

**BLACKBERRY**

CHILDSTOCK FARMS INC	<b>FG1</b>	<b>0.100</b>
----------------------	------------	--------------

**BRODIE (NY140)**

CHILDSTOCK FARMS INC.	FG1	0.130
	FG2	0.600
	FG3	5.500
TUCKER FARMS INC.	FG4	<u>0.300</u>
		<b>6.530</b>

**CAROLA**

PRYPUTNIEWICZ, ANDREW	FUG1	0.005
PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>1.400</u>
		<b>1.568</b>

**CASTILE**

PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>0.300</u>
		<b>0.463</b>

**CHARLOTTE**

PRYPUTNIEWICZ, ANDREW	FUG1	<b>0.001</b>
-----------------------	------	--------------

**CHIEFTAIN**

PRYPUTNIEWICZ, ANDREW	FUG1	0.001
	FUG3	1.700
	FUG1	0.027
PRYPUTNIEWICZ, BRUCE	FUG2	0.136
	FUG3	<u>1.400</u>
		<b>3.264</b>

**CHIPPEWA**

PRYPUTNIEWICZ, ANDREW	FUG1	0.010
PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>0.100</u>
		<b>0.273</b>

VARIETY	Grower	Classification	Acreage
<b>DAISY GOLD</b>			
SARANAC VALLEY	FUG1	0.020	
	FUG2	0.070	
	FG4	<u>0.250</u>	
		<b>0.340</b>	
<b>EARLY OHIO</b>			
SARANAC VALLEY	FUG1	0.030	
	FUG2	0.110	
	FUG3	<u>0.340</u>	
	<b>0.480</b>		
<b>EVA</b>			
PRYPUTNIEWICZ, BRUCE	FUG1	0.027	
	FUG3	<u>0.900</u>	
	<b>0.927</b>		
<b>FENWAY RED (HZC-07-6040)</b>			
CHILDSTOCK FARMS INC.	FG1	0.070	
	FG2	1.000	
	FG3	9.300	
	FG4	<u>7.590</u>	
	<b>17.960</b>		
<b>FLEURE BLEUE</b>			
CHILDSTOCK FARMS INC.	FUG1	0.060	
	FUG2	0.630	
	FUG3	<u>1.070</u>	
	<b>1.760</b>		
<b>FRENCH FINGERLING</b>			
PRYPUTNIEWICZ, BRUCE	FUG1	0.027	
	FUG3	<u>0.300</u>	
	<b>0.327</b>		
<b>GENESEE</b>			
PRYPUTNIEWICZ, ANDREW	FUG1	0.001	
	FUG2	0.310	
PRYPUTNIEWICZ, BRUCE	FUG1	0.027	
	FUG2	0.136	
	FUG3	<u>4.000</u>	
	<b>4.474</b>		
<b>GERMAN BUTTERBALL</b>			
SARANAC VALLEY	FUG3	<b>0.200</b>	
<b>GOLDEN GLOBE</b>			
CHILDSTOCK FARMS INC.	FG2	<b>0.200</b>	
<b>GOLDRUSH</b>			
PRYPUTNIEWICZ, ANDREW	FUG1	0.003	
	FUG2	<u>0.250</u>	
	<b>0.253</b>		
<b>JENNIFER</b>			
CHILDSTOCK FARMS INC.	FG3	<b>0.079</b>	

VARIETY	Grower	Classification	Acreage
<b>JULIETTE</b>			
CHILDSTOCK FARMS INC.	FUG1	0.140	
	FUG2	0.300	
	FUG3	<u>3.790</u>	
	<b>4.230</b>		
<b>KATAHDIN</b>			
PRYPUTNIEWICZ, ANDREW	FUG1	0.005	
	FUG1	0.027	
PRYPUTNIEWICZ, BRUCE	FUG2	0.136	
	FUG3	<u>0.300</u>	
		<b>0.468</b>	
<b>KENNEBEC</b>			
PRYPUTNIEWICZ, BRUCE	FUG1	0.027	
	FUG2	0.136	
	FUG3	<u>1.400</u>	
	<b>1.563</b>		
<b>KEUKA GOLD</b>			
PRYPUTNIEWICZ, ANDREW	FG2	1.600	
	PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136	
	FUG3	<u>0.900</u>	
		<b>2.663</b>	
<b>KING HARRY</b>			
TUCKER FARMS INC.	FUG3	<b>1.200</b>	
<b>La RATTE</b>			
CHILDSTOCK FARMS INC.	FUG1	0.250	
	FUG2	<u>4.600</u>	
	<b>4.850</b>		
<b>LADY LIBERTY (NY152)</b>			
CASKEY & BREHM	CG5	8.400	
	CHILDSTOCK FARMS INC.	FG1	2.140
	FG2	9.300	
M&W SEED COMPANY	FG3	61.410	
	FUG1	0.100	
	FUG2	0.400	
C. MARK FARMS	FG3	5.600	
	CG5	1.900	
	WALLACE, JOHN	CG5	<u>4.600</u>
	<b>94.550</b>		
<b>LAMOKA</b>			
CASKEY & BREHM	CG6	11.600	
	CHILDSTOCK FARMS INC.	FG1	1.190
	FG2	3.100	
	FG3	31.160	
	FG4	21.190	
	M&W SEED COMPANY	FUG1	0.030
	FUG2	0.600	
	FUG3	10.300	
	C. MARK FARMS	CG3	5.600
	CG6	2.700	
	TUCKER FARMS INC.	FG5	5.800
WALLACE, JOHN	CG3	<u>2.100</u>	
		<b>81.600</b>	

**VARIETY** Grower      Classification      Acreage

**LEHIGH**

CHILDSTOCK FARMS INC.	FG1	3.800
	FG3	6.000
	FG4	5.500
PRYPUTNIEWICZ, ANDREW	FG1	0.250
	FUG3	3.600
PRYPUTNIEWICZ, BRUCE	FUG2	0.136
TUCKER FARMS INC.	FUG3	3.300
	FG5	<u>0.600</u>
		<b>19.766</b>

**MAGGIE (HZC-07-6099)**

CHILDSTOCK FARMS INC.	FG1	0.090
	FG2	0.370
	FG3	<u>1.020</u>
		<b>1.480</b>

**MAGIC MOLLY**

TUCKER FARMS INC.	FG4	<b>1.800</b>
-------------------	-----	--------------

**NATASCHA**

CHILDSTOCK FARMS INC.	FG1	0.040
	FG2	0.390
	FG3	2.650
	FG4	<u>3.450</u>
		<b>6.530</b>

**NORDONNA**

CHILDSTOCK FARMS INC.	FG1	0.150
	FG4	1.500
PRYPUTNIEWICZ, ANDREW	FUG1	0.005
	FUG2	0.150
PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>0.900</u>
		<b>2.868</b>

**NORLAND, Dark Red**

PRYPUTNIEWICZ, BRUCE	FUG2	0.136
	FUG3	<u>1.300</u>
		<b>1.436</b>

**NY79**

PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>0.500</u>
		<b>0.663</b>

**NY118**

PRYPUTNIEWICZ, ANDREW	FG1	0.250
	FUG3	2.300
PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>3.000</u>
		<b>5.713</b>

**VARIETY** Grower      Classification      Acreage

**NY149**

PRYPUTNIEWICZ, ANDREW	FUG1	0.150
	FG2	<u>3.900</u>
		<b>4.050</b>

**NY157**

M&W SEED COMPANY	FUG1	<b>0.030</b>
------------------	------	--------------

**NY160**

C. MARK FARMS	CG2	<b>0.400</b>
---------------	-----	--------------

**NY161**

PRYPUTNIEWICZ, ANDREW	FUG1	0.060
	FUG2	<u>0.400</u>
		<b>0.460</b>

**NY163**

CHILDSTOCK FARMS	FUG1	0.380
	FG1	<u>1.180</u>
		<b>1.560</b>

**NY164**

PRYPUTNIEWICZ, ANDREW	FUG1	<b>0.001</b>
-----------------------	------	--------------

**NY165**

CHILDSTOCK FARMS	FUG1	0.090
	FG1	<u>0.130</u>
		<b>0.220</b>

**NYE11-45**

PRYPUTNIEWICZ, ANDREW	FUG1	0.010
	FUG2	<u>0.150</u>
		<b>0.160</b>

**PAPA CACHO**

MILKWEED TUSOCK TUBERS	CG3	0.014
SARANAC VALLEY FARMS	FUG1	0.040
	FUG2	0.110
	FUG3	<u>0.520</u>
		<b>0.684</b>

**PETER WILCOX**

PRYPUTNIEWICZ, ANDREW	FUG1	0.005
TUCKER FARMS INC.	FG3	0.200
	FG4	<u>1.700</u>
		<b>1.905</b>

**PRADA**

CHILDSTOCK FARMS	FG1	0.040
	FG2	<u>0.920</u>
		<b>0.960</b>

**PURPLE MAJESTY**

CHILDSTOCK FARMS INC.	FG1	0.180
	FG2	1.830
	FG3	<u>10.940</u>
		<b>12.950</b>

VARIETY Grower Classification Acreage

**PURPLE PELISSE**

CHILDSTOCK FARMS INC.	FG1	0.220
	FG2	1.780
	FG3	<u>15.650</u>
		<b>17.650</b>

**PURPLE PERUVIAN**

MILKWEED TUSSOCK TUBERS	CG4	<b>0.014</b>
-------------------------	-----	--------------

**REBA**

CHILDSTOCK FARMS INC.	FG1	0.100
	FUG2	2.000
	FUG3	6.650
	FG4	6.000
PRYPUTNIEWICZ, ANDREW	FG1	0.300
	FUG2	2.800
TUCKER FARMS INC.	FG4	<u>5.100</u>
		<b>22.950</b>

**RED MARIA**

CHILDSTOCK FARMS INC.	FG1	0.020
	FUG1	0.240
	FUG2	1.800
	FUG3	9.000
	FG4	15.600
PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	0.900
SARANAC VALLEY FARMS	FUG1	0.030
	FUG3	0.170
TUCKER FARMS INC.	FG5	<u>4.900</u>
		<b>32.824</b>

**RED PONTIAC**

PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>0.300</u>
		<b>0.463</b>

**REDBEN**

PRYPUTNIEWICZ, ANDREW	FUG1	0.005
	FUG3	<u>0.250</u>
		<b>0.255</b>

**SALEM**

PRYPUTNIEWICZ, ANDREW	FUG2	1.700
TUCKER FARMS INC.	FUG3	<u>4.100</u>
		<b>5.800</b>

**SEBAGO**

PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>1.000</u>
		<b>1.163</b>

**SNOWDEN**

CASKEY & BREHM	CG5	10.800
CHILDSTOCK FARMS INC.	FG2	<u>25.520</u>
		<b>36.320</b>

VARIETY Grower Classification Acreage

**SORAYA**

CHILDSTOCK FARMS INC.	FG2	0.770
	FG3	<u>3.710</u>
		<b>4.480</b>

**SUPERIOR**

PRYPUTNIEWICZ, ANDREW	FUG1	0.010
PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	0.900
TUCKER FARMS INC.	FG4	0.700
	FG5	<u>5.000</u>
		<b>6.773</b>

**TACOMA**

CHILDSTOCK FARMS INC.	FG3	<b>0.240</b>
-----------------------	-----	--------------

**UPSTATE ABUNDANCE (NY150)**

CHILDSTOCK FARMS INC.	FUG1	0.320
	FUG3	4.510
JUNIPER HILL FARM	CG3	0.500
MILKWEED TUSSOCK TUBERS	CG5	0.014
SARANAC VALLEY	FUG1	0.190
	FUG2	0.120
TUCKER FARMS INC.	FUG3	<u>6.500</u>
		<b>12.154</b>

**WANETA**

CHILDSTOCK FARMS INC.	FG1	0.990
	FG2	5.000
	FG3	45.020
	FG4	6.300
M&W SEED COMPANY	FUG1	0.020
	FUG2	0.200
	FUG3	2.400
C. MARK FARMS	FUG2	<u>0.600</u>
		<b>60.530</b>

**YUKON GOLD**

PRYPUTNIEWICZ, ANDREW	FG2	0.750
PRYPUTNIEWICZ, BRUCE	FUG1	0.027
	FUG2	0.136
	FUG3	<u>2.800</u>
		<b>3.713</b>

**NEW YORK SEED IMPROVEMENT PROJECT**

103C Leland Lab Cornell University  
Ithaca, NY 14853

Phone 607-255-9869

Fax 607-255-9048

Philip M. Atkins, Manager

[pma3@cornell.edu](mailto:pma3@cornell.edu)

E-mail: [nysip@cornell.edu](mailto:nysip@cornell.edu)

**Dr. Keith L. Perry**

Director, Foundation Seed Program  
Dept. of Plant Pathology, Cornell University  
Ithaca, NY 14853

607-254-8243 Phone

607-255-4471 FAX

Email: [klp3@cornell.edu](mailto:klp3@cornell.edu)

**NEW YORK STATE DEPARTMENT OF  
AGRICULTURE AND MARKETS**

**INSPECTORS**

Saeed Akhtar

Division of Food Safety & Inspection  
10B Airline Drive, Albany, NY 12235  
518-457-2090

-----  
Tom Tubbs

New York State Fairgrounds  
Art and Home Center, Syracuse, NY 13209  
315-487-0998

-----  
Joshua Gutenmann

Division of Food Safety & Inspection  
10B Airline Drive, Albany, NY 12235  
518-457-2090

-----  
**SHIPPING POINT INSPECTIONS**

This service is under the supervision of the  
New York State Department of Agriculture & Markets.  
For appointments, please contact the closest office.

**Albany**

George Spohn

*Supervising Farm Products Inspector*  
NYS Department of Agriculture & Markets  
10B Airline Drive, Albany, NY 12235  
518-457-2090

**Syracuse**

Tom Tubbs

*Supervising Farm Products Inspector*  
Division of Food Safety and Inspection  
NYS Fairgrounds, Art and Home Center,  
Syracuse, NY 13209  
585-427-0200